ISLAB
LABORATORIOKESKUS

Potilasohje
12.11.2026
1.2.246.10.21261066.100.15.2026.3.77.1

Urine sample collection for testing chlamydia and gonorrhoea

Test: -CtGcNho (1738)

Sample collection equipment

- Sample container
- Sample collection kit containing a plastic pipette and a sample tube

The sample tube contains a liquid which causes irritation on the skin. Handle the tube with care. In case of skin contact flush immediately with plenty of water and soap. In case of eye contact flush with plenty of water and contact a physician.

Keep the sample collection equipment away from the reach of children.

Preparation

- Collect the sample when at least one hour has passed since the last time you urinated.
- Do not wash your intimate area before collecting the sample.
- You can take the sample also during menstruation.


Collecting urine sample

1. Wash your hands carefully.
2. Start to pass urine directly into the sample container. Collect 20–30 ml of first urine (approx. 1 cm of urine in the sample container).
3. Pass the rest of the urine into the toilet.

Transferring urine sample into test tube

1. Open the sample collection kit and remove the sample tube. Leave the plastic pipette inside the kit.
2. Open the cap of the sample tube.
    - Do not break the folio part of the cap.
    - Be careful not to spill the liquid in the tube.
3. Remove the plastic pipette from the sample collection kit.

4. Transfer urine from the sample container to the sample tube with the plastic pipette. The amount of urine is sufficient when the liquid surface is between the two black lines (see image A).



5. Close the cap of the sample tube tightly and make sure it does not leak.
6. Place the sample tube into a plastic bag.
7. Pour the rest of the urine into the toilet. Dispose of the sample container and the pipette in the mixed waste.
8. Fill in the required details on the last page and put the page in the same bag with the sample tube. Close the bag tightly.

Storage and transportation

Deliver the sample tube to the laboratory in room temperature.

Let the person collecting the sample know if you were not able to follow these instructions or if you were given other kinds of instructions.

If you have any questions regarding the sample collection, please contact ISLAB's customer service by calling tel. 044 457 0740.

Your own doctor or nurse will answer any questions you may have about your tests and results.

ISLAB
LABORATORIOKESKUS

Potilasohje
12.11.2026
1.2.246.10.21261066.100.15.2026.3.77.1

Sample details (fill in and return only this page to the laboratory together with the sample)

Write your first name and surname:

Write your personal identity code:

Write your phone number:

Write the date and time of sample collection:

Write additional information if necessary: